

IDEA
CREATION
DESIGN

FEATURES



the telescope system allows to close the parasol without the need to remove tables and chairs underneath it



cover protecting against harmful UV radiation



canopy angle enhancing brand exposition; enhanced visibility of printed design on the cover even from a very short distance



prints on parasol covers are made by using best dyes from renowned companies, what guarantee the highest fade resistance of the colours (7-8 degree according to ISO105 Bo2)



the covering of parasol canopy prevents from absorbing water, protects from rain and dust



second roof



parasols are designated for commercial use in small bars, cafés and restaurant gardens; advanced quality, hardiness and functionality



the covering of parasol canopy prevents from absorbing water, protects from rain and dust; additional covering



possibility of installing illumination



curved ribs of the canopy



system which facilitate the opening of the parasol



full panel and flounce of the parasol sewn from one piece of fabric, no patches



cap protecting the top of the cover



possibility of choosing the frame from RAL colour chart



possibility of manufacturing an anodized aluminium frame



frames made of steel



frames made of aluminium



strengthened frame allowing the use of parasols even by strong winds



product entirely made in the EU



SN

SN - rope



TDR

pushup - TDR



PR

PR - easyshift



TP

crank - TP





BKR 1 kg



PDU 5,5 kg



PDU-B40 118 kg



PDUE 8 kg



PDUE-B50 159 kg



PDUE-BCW 150 kg



PDZ 5,5 kg



PDKM-BCW



PDKC-B40 125 kg



PDC 118 kg



PDKM



PDUE-B50 RIO



PDUE-B50 RIO



PDKI 16 kg



PDKI-BCW 168 kg



PDZI 12 kg



PDK7 130 kg



PDK7-B40 1000 kg



PDZ7 48 kg



PD450M 42 kg



PD600M 59 kg



PD700MR 80 kg



B40 28 kg



B50 38 kg



BCW 35 kg

BASES



plastic pocket



strap



second roof



material pocket



valve



LED lighting



mosquito



without flounce

flounce

..

ACCESSORIES



BEACH PARASOLS





frame with tilt



TYPE OF PARASOLS	TYPE OF BASE
1,8m/8p	BKR
2m/8p	BKR
1,25x1,25 m	BKR
1,35x1,35 m	BKR





ROUND



TYPE OF PARASOLS	VALVE	SECOND ROOF	OPENING SYSTEM				TYPE OF BASE
			SN	PR	TDR	TP	
2,5m/6p	✓			✓			PD450M
3m/6p	✓		✓	✓			PD450M
3m/8p	✓		✓	✓	✓		PD600M, PDU, PDU-B40, PDZ
3,5m/6p	✓		✓	✓			PD600M, PDU, PDU-B40, PDZ
3,5m/8p	✓		✓	✓	✓		PD600M, PDU, PDU-B40, PDZ
4m/8p	✓	✓	✓		✓	✓	PD700MR, PDU, PDU-B40, PDZ
5m/8p	✓	✓	✓		✓	✓	PDUE, PDUE-B50, PDZ
5m/10p		✓	✓				PDUE, PDUE-B50, PDZ
5,5m/8p	✓	✓	✓		✓	✓	PDUE, PDUE-B50, PDZ
5,5m/10p		✓			✓		PDUE, PDUE-B50, PDZ
8m/12p		✓				✓	PDK7, PDK7-B40, PDZ7





ROUND





SQUARE



TYPE OF PARASOLS	VALVE	SECOND ROOF	OPENING SYSTEM				TYPE OF BASE
			SN	PR	TDR	TP	
2x2 m	✓			✓			PD450M
2,5x2,5 m	✓		✓	✓			PD450M
3x3 m	✓	✓	✓	✓			PD600M, PDU, PDU-B40, PDZ
3x3 m STRONG	✓	✓			✓	✓	PD600M, PDU, PDU-B40, PDZ
3,5x3,5 m	✓	✓	✓	✓	✓	✓	PD700MR, PDU, PDU-B40, PDZ
4x4 m	✓	✓	✓		✓	✓	PDU, PDU-B40, PDUE, PDUE-B50, PDZ
5x5 m	✓	✓	✓		✓	✓	PDUE, PDUE-B50, PDZ
7x7 m		✓				✓	PDK7, PDK7-B40, PDZ7





SQUARE





















WITH SIDE LEG

IBIZA



TYPE OF PARASOLS	VALVE	SECOND ROOF	OPENING SYSTEM				TYPE OF BASE
			SN	PR	TDR	TP	
IBIZA 4,2m/8p		✓				✓	PDKI, PDKI-BCW, PDZI
IBIZA 3,5x3,5 m	✓					✓	PDKI, PDKI-BCW, PDZI



WITH SIDE LEG

RIO



podstawa rotacyjna
rotation base
Drehung Basis



TYPE OF PARASOLS	VALVE	SECOND ROOF	OPENING SYSTEM				TYPE OF BASE
			SN	PR	TDR	TP	
RIO 3x3m	✓					✓	PDUE-B50 RIO





SPECIAL

TULIPAN



TYPE OF PARASOLS	VALVE	SECOND ROOF	OPENING SYSTEM				TYPE OF BASE
			SN	PR	TDR	TP	
TULIPAN 4 m/8p TULIPAN 3,7 m/8p			✓			✓	PDU, PDU-B40, PDZ

